






1602 Park West Dr. • PO Box 169 • Hastings, NE 68902
 www.servitech.com

Phone: 402.463.3522
 800.557.7509
 Fax: 402.463.8132

Lab No.: 6205		FEED ANALYSIS REPORT		Date Reported: 10/21/2024
Send To: 33423	SOUTHWEST GRAIN NEW ENGLAND SWG 170 ELEVATOR PO BOX 220 NEW ENGLAND, ND 58647			 
Results For: Feedstuff Description: Sample Identification: Date Received:	BILL GUSSEY HAY, MIXED LOT R OATS MILLET 10/18/2024			 Hans Burken Lab Manager
Invoice No.:	763502			
Feed Analysis Results		As Received	100% Dry Matter	
Nitrate Nitrogen, mg/kg NO3-N		607		
Near Infrared Reflectance Spectroscopy (NIRS) Analysis				
Moisture, %	11.0			
Dry Matter, %	89.0			
Crude Protein, %	10.35	11.62		
Adjusted Crude Protein, %	10.35	11.62		
AD-ICP, %	0.53	0.60		
ND-ICP (w/Na2SO3), %	2.45	2.75		
Soluble Protein, % CP	32.72	36.75		
ADF, % ADF	32.16	36.12		
aNDF (w/Na2SO3), % NDF	50.20	56.39		
aNDFom, % aNDFom	48.39	54.35		
Lignin (Sulfuric Acid), %	4.00	4.49		
Lignin % NDF, %	7.36	8.26		
uNDFom240, %	13.72	15.41		
NDFD240, % NDF	63.79	71.65		
Starch, %	1.57	1.76		

The reported analytical results apply only to the sample as it was supplied.
 The report may not be reproduced, except in full, without permission of ServiTech.

Your opinion is valuable to us. Please let us know what you think about our services! Send an email to feedback@servitech.com.



1602 Park West Dr. • PO Box 169 • Hastings, NE 68902
 www.servitech.com

Phone: 402.463.3522
 800.557.7509
 Fax: 402.463.8132

Lab No.: 6205		FEED ANALYSIS REPORT		Date Reported: 10/21/2024
Feed Analysis Results		As Received	100% Dry Matter	
Fat (EE), %		3.00	3.37	
Total Fatty Acid (TFA), % TFA		1.25	1.40	
Ash, %		9.34	10.49	
Calcium, % Ca		0.59	0.66	
Phosphorus, % P		0.23	0.26	
Magnesium, % Mg		0.26	0.29	
Potassium, % K		2.27	2.55	
Sulfur, % S		0.26	0.29	
Sugar (ESC), %		7.79	8.75	
Sugar (WSC), %		9.32	10.47	
N.F.C., %		21.27	23.89	
RFV,		89.31	100.32	
Chloride, % Cl		0.59	0.66	
		<u>ADF</u>	<u>OARDC</u>	
TDN	%	60.76	58.78	
NEI	Mcal/lb	0.62	0.60	
NEg	Mcal/lb	0.29	0.33	
NEm	Mcal/lb	0.54	0.59	

NITRATE: VERY LOW (0 - 700 mg/kg NO3-N): Considered safe to feed for all classes of livestock.

The reported analytical results apply only to the sample as it was supplied.
 The report may not be reproduced, except in full, without permission of ServiTech.

Your opinion is valuable to us. Please let us know what you think about our services! Send an email to feedback@servitech.com.



1602 Park West Dr. • PO Box 169 • Hastings, NE 68902
 www.servitech.com

Phone: 402.463.3522
 800.557.7509
 Fax: 402.463.8132

Lab No.: 6205 **FEED ANALYSIS REPORT** Date Reported: 10/21/2024

Feed Analysis Results As Received 100% Dry Matter

NITRATE TOXICITY POTENTIAL: ServiTech reports these values as "mg/kg NO3-N" (milligram per kilogram nitrate-nitrogen). Other sources may report toxicity potential differently.

Rating	NO3-N mg/kg	Comments	NO3 ppm	KNO3 ppm	NO3 %
Very Low	0 - 700	Safe	0 - 3000	0 - 5000	0.00 - 0.31
Low	700 - 1400	Usually safe	3000 - 6000	5000 - 10,000	0.31 - 0.62
Medium	1400 - 2100	Potentially toxic	6000 - 9500	10,000 - 15,000	0.62 - 0.93
High	2100 - 2800	Very toxic	9500 - 12,500	15,000 - 20,000	0.93 - 1.24
Very High	2800 - 3500	Highly toxic	12,500 - 15,500	20,000 - 25,000	1.24 - 1.55
Extremely High	Over 3500	Highly toxic	Over 15,000	Over 25,000	Over 1.55

(Note: "mg/kg" and "ppm" are equivalent units; % = mg/kg x 0.0001)

USDA HAY QUALITY GUIDELINES: ALFALFA, ALFALFA/MIX (100% dry matter)

QUALITY	RFV	ADF %	NDF %	%CP
Supreme	> 185	< 27	< 34	> 22
Premium	170-185	27-29	34-36	20-22
Good	150-170	29-32	36-40	18-20
Fair	130-150	32-35	40-44	16-18
Utility	< 130	> 35	> 44	< 18

These **USDA marketing guidelines** are based primarily on alfalfa or alfalfa-grass mix for dairy cattle use. Suggested guidelines for other forages and other livestock uses are given below. Crude protein, visual appearance, intent of sale, end use, and other factors may influence final hay price. Regional pricing information is available from USDA Hay Marketing Service - Hay Reports at: www.ams.usda.gov/market-news/hay-reports

RFV	SUGGESTED LIVESTOCK USES:
> 150	Prime dairy cows; fresh and high producers
125 - 150	Good dairy cows; young heifers; backgrounding
105 - 125	Good beef cattle; older heifers; marginal for dairy cows
87 - 105	Maintenance of beef and dairy cows
75 - 87	May require supplementation
< 75	Will require supplementation

NIRs analysis performed utilizing Feedstuff Equations developed by Dairyland Labs, Inc.

The reported analytical results apply only to the sample as it was supplied.
 The report may not be reproduced, except in full, without permission of ServiTech.

Your opinion is valuable to us. Please let us know what you think about our services! Send an email to feedback@servitech.com.